
Running Results Fetcher Documentation

Release 0.1.0

Michal Mojek

Apr 12, 2019

Contents:

1	Running Results Fetcher	1
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	Contributing	7
4.1	Types of Contributions	7
4.2	Get Started!	8
4.3	Pull Request Guidelines	9
4.4	Tips	9
4.5	Deploying	9
5	Credits	11
5.1	Development Lead	11
5.2	Contributors	11
6	History	13
6.1	0.1.0 (2019-03-27)	13
7	Indices and tables	15

CHAPTER 1

Running Results Fetcher

Running Results Fetcher download informations about past races for given runners

- Free software: MIT license
- Documentation: <https://running-results-fetcher.readthedocs.io>.

2.1 Stable release

To install Running Results Fetcher, run this command in your terminal:

```
$ pip install running_results_fetcher
```

This is the preferred method to install Running Results Fetcher, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for Running Results Fetcher can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/mojek/running_results_fetcher
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/mojek/running_results_fetcher/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use Running Results Fetcher in a project:

```
from running_results_fetcher import RunningResultFetcher
fetcher = RunningResultFetcher('Michał Mojek', 1980)

# now you have to run a spider and fetch data
# this will return a runner
runner=fetcher.fetch_data_for_runner()

# If you want you can filter races on the runner.
# All this are optional.
# race_type can be: 'Biegi Górskie' or 'Bieganie'.
runner.filter_races(from_date="2018-11-10",
                    to_date="2019-11-10",
                    race_type="Bieganie")
#or
runner.filter_races( to_date="2019-11-10",
                    race_type="Bieganie")
#or
runner.filter_races(race_type="Bieganie")

# and now you can get statistics

# The number of kilometers in all races
runner.stats.km_count()

# You can get the best time at a given distance.
# You can also enter a 'maraton',
# or polmaraton
runner.stats.best_time_on_distance('10 km')
runner.stats.best_time_on_distance('maraton')
runner.stats.best_time_on_distance(20)
```

(continues on next page)

(continued from previous page)

```
# Returns the longest run  
runner.stats.longest_run()
```

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/mojek/running_results_fetcher/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

4.1.4 Write Documentation

Running Results Fetcher could always use more documentation, whether as part of the official Running Results Fetcher docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/mojek/running_results_fetcher/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *running_results_fetcher* for local development.

1. Fork the *running_results_fetcher* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/running_results_fetcher.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv running_results_fetcher
$ cd running_results_fetcher/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 running_results_fetcher tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5 and 3.6, and for PyPy. Check https://travis-ci.org/mojek/running_results_fetcher/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ py.test tests.test_running_results_fetcher
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

5.1 Development Lead

- Michal Mojek <m.mojek@gmail.com>

5.2 Contributors

None yet. Why not be the first?

6.1 0.1.0 (2019-03-27)

- First release on PyPI.

CHAPTER 7

Indices and tables

- `genindex`
- `search`